EB-L1505UH



Powerful 12,000-lumen WUXGA 3LCD laser projector offering outstanding image sharpness and brightness, and a long-lasting, low maintenance performance.

The EB-L1505UH installation laser projector offers powerful 12,000-lumen WUXGA performance with rich, vivid colours, for large rooms and venues, as well as reliable fit and forget performance. With flexible installation and low maintenance, this 4K-enhanced projector offers a perfect solution for scenarios where only maximum performance and durability will do.

Laser-sharp images

Ensure that your presentations, images and video pack a punch with the vivid, sharp projection offered by this 3LCD laser projector. Designed for larger venues, its high resolution WUXGA images are vivid and bright, even in daylight, while inorganic phosphor wheel technology provides superior light and heat resistance to deliver excellent reliability that lasts for up to 83,000 hours¹.

4K enhancement

For a next-level viewing experience, the projector features ingenious 4K enhancement technology, giving images exceptional sharpness and clarity, and ensuring that text in presentations is clearly legible.

Flexible positioning

Thanks to a wide range of motorised lenses, including optional ultra-short-throw (UST) lens, the projector benefits from true 360° installation flexibility, allowing it to be placed virtually anywhere - without loss of brightness or distortion of image. The projector also has a built-in camera to ensure accurate calibration and capture diagnostic images (this can be fully disabled to prevent remote access).

Versatile new software

All models in the EB-L1000 series can take advantage of free Epson Professional Projector Tool software from December 2017. It allows you to set up multi-projector installations straight out of the box, simply and quickly, as well as utilising advanced techniques such as projection-mapping and edge-blending.

DATASHEET / BROCHURE



KEY FEATURES

- Laser light source technology Outstanding brightness and colour, with fit and forget reliability
- HD images with 4K enhancement Exceptional sharpness, clarity and detail for crisp images and legible text
- Versatile new software Set up multiple projector installations and utilise advanced projection techniques
- Flexible 360° installation True flexibility without distortion or loss of brightness
- Added peace of mind Product comes with five-year, 20,000hour warranty





PRODUCT SPECIFICATIONS

TECHNOLOGY Projection System	3LCD Technology	
LCD Panel	1.03 inch with C2 Fine	
IMAGE Colour Light Output	12,000 lumen- 8,400 lumen (economy) in accordance with IDMS15.4	
White Light Output	12,000 lumen - 8,400 lumen (economy) in accordance with ISO 21118:2012	
Portrait Colour Light Output		
Portrait White Light Output		
Resolution	WUXGA, 1920 x 1200, 16:10	
High Definition	4K enhancement	
Aspect Ratio	16:10	
Contrast Ratio	2,500,000 : 1	
Native Contrast	2,000 : 1	
Light source	Laser	
Laser Light source	20,000 Hours Durability High, 30,000 Hours Durability Eco	
Keystone Correction	Manual vertical: ± 45 °, Manual horizontal ± 30 °	
Colour Reproduction	upto 1.07 billion colours	
OPTICAL		
Projection Ratio	1.57 - 2.56:1	
Zoom	Motorized, Factor: 1 - 1.6	
Projection Lens Zoom Ratio	1.57 - 2.56 : 1	
Lens	Optical	
Lens Shift	Motorized - Vertical ± 60 %, horizontal ± 18 %	
Lens position memory	10 positions	
mage Size	60 inches - 500 inches	
Projection Distance Wide	2 m - 17.2 m	
Projection Distance Tele	3.3 m - 27.8 m	
Projection Distance Wide/Tel		
Projection Lens F Number	1.8 - 2.5	
Focal Distance	36 mm - 57.35 mm	
Focus	Motorized	
CONNECTIVITY		
Interfaces	Stereo mini jack audio in (3x), Stereo mini jack audio out, HDBaseT, BNC in, HDMI in, DVI in,	
	VGA out, VGA in, Ethernet interface (100 Base-TX / 10 Base-T), RS-232C, USB 2.0 Type B	
	(Service Only), HD-SDI, Wireless LAN b/g/n (2.4GHz) (optional)	
Epson iProjection App	Ad-Hoc / Infrastructure	
	Ad-Hoc / Infrastructure	
Epson iProjection App ADVANCED FEATURES Security	Ad-Hoc / Infrastructure Kensington lock, Security bar, Wireless LAN unit lock, Wireless LAN security, Password	
ADVANCED FEATURES		
ADVANCED FEATURES	Kensington lock, Security bar, Wireless LAN unit lock, Wireless LAN security, Password protection 4K enhancement, Absolute Black, Auto calibration, Customizable user logo, Frame	
ADVANCED FEATURES Security Features	Kensington lock, Security bar, Wireless LAN unit lock, Wireless LAN security, Password protection 4K enhancement, Absolute Black, Auto calibration, Customizable user logo, Frame interpolation, Integrated camera for image calibration & image capture, Lens position memory	
ADVANCED FEATURES Security Features Video Colour Modes	Kensington lock, Security bar, Wireless LAN unit lock, Wireless LAN security, Password protection 4K enhancement, Absolute Black, Auto calibration, Customizable user logo, Frame interpolation, Integrated camera for image calibration & image capture, Lens position memory Cinema, Dynamic, Presentation, DICOM SIM, Multi Projection, BT709	
ADVANCED FEATURES Security Features /ideo Colour Modes	Kensington lock, Security bar, Wireless LAN unit lock, Wireless LAN security, Password protection 4K enhancement, Absolute Black, Auto calibration, Customizable user logo, Frame interpolation, Integrated camera for image calibration & image capture, Lens position memory	
ADVANCED FEATURES Security Features Video Colour Modes Projector control	Kensington lock, Security bar, Wireless LAN unit lock, Wireless LAN security, Password protection 4K enhancement, Absolute Black, Auto calibration, Customizable user logo, Frame interpolation, Integrated camera for image calibration & image capture, Lens position memory Cinema, Dynamic, Presentation, DICOM SIM, Multi Projection, BT709	
ADVANCED FEATURES Security Features Video Colour Modes Projector control GENERAL	Kensington lock, Security bar, Wireless LAN unit lock, Wireless LAN security, Password protection 4K enhancement, Absolute Black, Auto calibration, Customizable user logo, Frame interpolation, Integrated camera for image calibration & image capture, Lens position memory Cinema, Dynamic, Presentation, DICOM SIM, Multi Projection, BT709 via: AMX, Crestron (Network), Extron 908 W, 597 W (economy), 0.3 W (standby), On mode power consumption as defined in JBMS-	
ADVANCED FEATURES Security Features Video Colour Modes Projector control GENERAL Energy Use	Kensington lock, Security bar, Wireless LAN unit lock, Wireless LAN security, Password protection 4K enhancement, Absolute Black, Auto calibration, Customizable user logo, Frame interpolation, Integrated camera for image calibration & image capture, Lens position memory Cinema, Dynamic, Presentation, DICOM SIM, Multi Projection, BT709 via: AMX, Crestron (Network), Extron 908 W, 597 W (economy), 0.3 W (standby), On mode power consumption as defined in JBMS- 84 833 W	
ADVANCED FEATURES Security Features Video Colour Modes Projector control GENERAL Energy Use Supply Voltage	Kensington lock, Security bar, Wireless LAN unit lock, Wireless LAN security, Password protection 4K enhancement, Absolute Black, Auto calibration, Customizable user logo, Frame interpolation, Integrated camera for image calibration & image capture, Lens position memory Cinema, Dynamic, Presentation, DICOM SIM, Multi Projection, BT709 via: AMX, Crestron (Network), Extron 908 W, 597 W (economy), 0.3 W (standby), On mode power consumption as defined in JBMS- 84 833 W AC 100 V - 240 V, 50 Hz - 60 Hz	
ADVANCED FEATURES Security Features Video Colour Modes Projector control GENERAL Energy Use Supply Voltage Product dimensions	Kensington lock, Security bar, Wireless LAN unit lock, Wireless LAN security, Password protection 4K enhancement, Absolute Black, Auto calibration, Customizable user logo, Frame interpolation, Integrated camera for image calibration & image capture, Lens position memory Cinema, Dynamic, Presentation, DICOM SIM, Multi Projection, BT709 via: AMX, Crestron (Network), Extron 908 W, 597 W (economy), 0.3 W (standby), On mode power consumption as defined in JBMS- 84 833 W AC 100 V - 240 V, 50 Hz - 60 Hz 586 x 492 x 211 mm (Width x Depth x Height)	
ADVANCED FEATURES Security Features Video Colour Modes Projector control GENERAL Energy Use Supply Voltage Product dimensions Product weight	Kensington lock, Security bar, Wireless LAN unit lock, Wireless LAN security, Password protection 4K enhancement, Absolute Black, Auto calibration, Customizable user logo, Frame interpolation, Integrated camera for image calibration & image capture, Lens position memory Cinema, Dynamic, Presentation, DICOM SIM, Multi Projection, BT709 via: AMX, Crestron (Network), Extron 908 W, 597 W (economy), 0.3 W (standby), On mode power consumption as defined in JBMS- 84 833 W AC 100 V - 240 V, 50 Hz - 60 Hz 586 x 492 x 211 mm (Width x Depth x Height) 23.8 kg	
ADVANCED FEATURES Security Features //ideo Colour Modes Projector control GENERAL Energy Use Supply Voltage Product dimensions Product dimensions Product weight Noise Level	Kensington lock, Security bar, Wireless LAN unit lock, Wireless LAN security, Password protection 4K enhancement, Absolute Black, Auto calibration, Customizable user logo, Frame interpolation, Integrated camera for image calibration & image capture, Lens position memory Cinema, Dynamic, Presentation, DICOM SIM, Multi Projection, BT709 via: AMX, Crestron (Network), Extron 908 W, 597 W (economy), 0.3 W (standby), On mode power consumption as defined in JBMS- 84 833 W AC 100 V - 240 V, 50 Hz - 60 Hz 586 x 492 x 211 mm (Width x Depth x Height) 23.8 kg Normal: 37 dB (A) - Economy: 30 dB (A) (4K enhancement OFF)	
ADVANCED FEATURES Security Features //ideo Colour Modes Projector control GENERAL Energy Use Supply Voltage Product dimensions Product dimensions Product weight Noise Level Femperature	Kensington lock, Security bar, Wireless LAN unit lock, Wireless LAN security, Password protection 4K enhancement, Absolute Black, Auto calibration, Customizable user logo, Frame interpolation, Integrated camera for image calibration & image capture, Lens position memory Cinema, Dynamic, Presentation, DICOM SIM, Multi Projection, BT709 via: AMX, Crestron (Network), Extron 908 W, 597 W (economy), 0.3 W (standby), On mode power consumption as defined in JBMS- 84 833 W AC 100 V - 240 V, 50 Hz - 60 Hz 586 x 492 x 211 mm (Width x Depth x Height) 23.8 kg Normal: 37 dB (A) - Economy: 30 dB (A) (4K enhancement OFF) Storage -10° C - 60° C	
ADVANCED FEATURES Security =eatures //ideo Colour Modes Projector control GENERAL Energy Use Supply Voltage Product dimensions Product dimensions Product weight Noise Level Femperature Humidity	Kensington lock, Security bar, Wireless LAN unit lock, Wireless LAN security, Password protection 4K enhancement, Absolute Black, Auto calibration, Customizable user logo, Frame interpolation, Integrated camera for image calibration & image capture, Lens position memory Cinema, Dynamic, Presentation, DICOM SIM, Multi Projection, BT709 via: AMX, Crestron (Network), Extron 908 W, 597 W (economy), 0.3 W (standby), On mode power consumption as defined in JBMS- 84 833 W AC 100 V - 240 V, 50 Hz - 60 Hz 586 x 492 x 211 mm (Width x Depth x Height) 23.8 kg Normal: 37 dB (A) - Economy: 30 dB (A) (4K enhancement OFF) Storage -10° C - 60° C Operation 20% - 80%, Storage 10% - 90%	
ADVANCED FEATURES Security Features //ideo Colour Modes Projector control GENERAL Energy Use Supply Voltage Product dimensions Product dimensions Product weight Noise Level Femperature Humidity ncluded Software	Kensington lock, Security bar, Wireless LAN unit lock, Wireless LAN security, Password protection 4K enhancement, Absolute Black, Auto calibration, Customizable user logo, Frame interpolation, Integrated camera for image calibration & image capture, Lens position memory Cinema, Dynamic, Presentation, DICOM SIM, Multi Projection, BT709 via: AMX, Crestron (Network), Extron 908 W, 597 W (economy), 0.3 W (standby), On mode power consumption as defined in JBMS- 84 833 W AC 100 V - 240 V, 50 Hz - 60 Hz 586 x 492 x 211 mm (Width x Depth x Height) 23.8 kg Normal: 37 dB (A) - Economy: 30 dB (A) (4K enhancement OFF) Storage -10° C - 60° C Operation 20% - 80%, Storage 10% - 90% Epson Projector Management Software, EasyMP Multi PC Projection	
ADVANCED FEATURES Security Features Video Colour Modes Projector control GENERAL Energy Use Supply Voltage Product dimensions Product dimensions Product weight Noise Level Femperature Humidity ncluded Software Options	Kensington lock, Security bar, Wireless LAN unit lock, Wireless LAN security, Password protection 4K enhancement, Absolute Black, Auto calibration, Customizable user logo, Frame interpolation, Integrated camera for image calibration & image capture, Lens position memory Cinema, Dynamic, Presentation, DICOM SIM, Multi Projection, BT709 via: AMX, Crestron (Network), Extron 908 W, 597 W (economy), 0.3 W (standby), On mode power consumption as defined in JBMS- 84 833 W AC 100 V - 240 V, 50 Hz - 60 Hz 586 x 492 x 211 mm (Width x Depth x Height) 23.8 kg Normal: 37 dB (A) - Economy: 30 dB (A) (4K enhancement OFF) Storage -10° C - 60° C Operation 20% - 80%, Storage 10% - 90% Epson Projector Management Software, EasyMP Multi PC Projection HDBaseT Transmitter, Quick wireless USB key, Wireless LAN unit	
ADVANCED FEATURES Security Features Video Colour Modes Projector control GENERAL Energy Use Supply Voltage Product dimensions Product dimensions Product weight Noise Level Femperature Humidity ncluded Software Options	 Kensington lock, Security bar, Wireless LAN unit lock, Wireless LAN security, Password protection 4K enhancement, Absolute Black, Auto calibration, Customizable user logo, Frame interpolation, Integrated camera for image calibration & image capture, Lens position memory Cinema, Dynamic, Presentation, DICOM SIM, Multi Projection, BT709 via: AMX, Crestron (Network), Extron 908 W, 597 W (economy), 0.3 W (standby), On mode power consumption as defined in JBMS-84 833 W AC 100 V - 240 V, 50 Hz - 60 Hz 586 x 492 x 211 mm (Width x Depth x Height) 23.8 kg Normal: 37 dB (A) - Economy: 30 dB (A) (4K enhancement OFF) Storage -10° C - 60° C Operation 20% - 80%, Storage 10% - 90% Epson Projector Management Software, EasyMP Multi PC Projection HDBaseT Transmitter, Quick wireless USB key, Wireless LAN unit Boardroom, Large Meeting Room / Auditorium, Projection Mapping, Rental / Staging, Signage 	
ADVANCED FEATURES Security Features Video Colour Modes Projector control GENERAL Energy Use Supply Voltage Product dimensions Product dimensions Product weight Noise Level Temperature Humidity Included Software Options Room Type / Application	Kensington lock, Security bar, Wireless LAN unit lock, Wireless LAN security, Password protection 4K enhancement, Absolute Black, Auto calibration, Customizable user logo, Frame interpolation, Integrated camera for image calibration & image capture, Lens position memory Cinema, Dynamic, Presentation, DICOM SIM, Multi Projection, BT709 via: AMX, Crestron (Network), Extron 908 W, 597 W (economy), 0.3 W (standby), On mode power consumption as defined in JBMS- 84 833 W AC 100 V - 240 V, 50 Hz - 60 Hz 586 x 492 x 211 mm (Width x Depth x Height) 23.8 kg Normal: 37 dB (A) - Economy: 30 dB (A) (4K enhancement OFF) Storage -10° C - 60° C Operation 20% - 80%, Storage 10% - 90% Epson Projector Management Software, EasyMP Multi PC Projection HDBaseT Transmitter, Quick wireless USB key, Wireless LAN unit Boardroom, Large Meeting Room / Auditorium, Projection Mapping, Rental / Staging, Signage / Retail, Visitor Attraction	
ADVANCED FEATURES Security Features Video Colour Modes Projector control GENERAL Energy Use Supply Voltage Product dimensions Product weight Noise Level Temperature Humidity Included Software Options	 Kensington lock, Security bar, Wireless LAN unit lock, Wireless LAN security, Password protection 4K enhancement, Absolute Black, Auto calibration, Customizable user logo, Frame interpolation, Integrated camera for image calibration & image capture, Lens position memory Cinema, Dynamic, Presentation, DICOM SIM, Multi Projection, BT709 via: AMX, Crestron (Network), Extron 908 W, 597 W (economy), 0.3 W (standby), On mode power consumption as defined in JBMS-84 833 W AC 100 V - 240 V, 50 Hz - 60 Hz 586 x 492 x 211 mm (Width x Depth x Height) 23.8 kg Normal: 37 dB (A) - Economy: 30 dB (A) (4K enhancement OFF) Storage -10° C - 60° C Operation 20% - 80%, Storage 10% - 90% Epson Projector Management Software, EasyMP Multi PC Projection HDBaseT Transmitter, Quick wireless USB key, Wireless LAN unit Boardroom, Large Meeting Room / Auditorium, Projection Mapping, Rental / Staging, Signage 	
ADVANCED FEATURES Security Features Video Colour Modes Projector control GENERAL Energy Use Supply Voltage Product dimensions Product dimensions Product weight Noise Level Temperature Humidity Included Software Diptions Room Type / Application	Kensington lock, Security bar, Wireless LAN unit lock, Wireless LAN security, Password protection 4K enhancement, Absolute Black, Auto calibration, Customizable user logo, Frame interpolation, Integrated camera for image calibration & image capture, Lens position memory Cinema, Dynamic, Presentation, DICOM SIM, Multi Projection, BT709 via: AMX, Crestron (Network), Extron 908 W, 597 W (economy), 0.3 W (standby), On mode power consumption as defined in JBMS- 84 833 W AC 100 V - 240 V, 50 Hz - 60 Hz 586 x 492 x 211 mm (Width x Depth x Height) 23.8 kg Normal: 37 dB (A) - Economy: 30 dB (A) (4K enhancement OFF) Storage -10° C - 60° C Operation 20% - 80%, Storage 10% - 90% Epson Projector Management Software, EasyMP Multi PC Projection HDBaseT Transmitter, Quick wireless USB key, Wireless LAN unit Boardroom, Large Meeting Room / Auditorium, Projection Mapping, Rental / Staging, Signage / Retail, Visitor Attraction Ceiling Mounted, Flying Frame	
ADVANCED FEATURES Security Features Video Colour Modes Projector control GENERAL Energy Use Supply Voltage Product dimensions Product dimensions Product weight Noise Level Temperature Humidity Included Software Options Room Type / Application	Kensington lock, Security bar, Wireless LAN unit lock, Wireless LAN security, Password protection 4K enhancement, Absolute Black, Auto calibration, Customizable user logo, Frame interpolation, Integrated camera for image calibration & image capture, Lens position memory Cinema, Dynamic, Presentation, DICOM SIM, Multi Projection, BT709 via: AMX, Crestron (Network), Extron 908 W, 597 W (economy), 0.3 W (standby), On mode power consumption as defined in JBMS- 84 833 W AC 100 V - 240 V, 50 Hz - 60 Hz 586 x 492 x 211 mm (Width x Depth x Height) 23.8 kg Normal: 37 dB (A) - Economy: 30 dB (A) (4K enhancement OFF) Storage -10° C - 60° C Operation 20% - 80%, Storage 10% - 90% Epson Projector Management Software, EasyMP Multi PC Projection HDBaseT Transmitter, Quick wireless USB key, Wireless LAN unit Boardroom, Large Meeting Room / Auditorium, Projection Mapping, Rental / Staging, Signage / Retail, Visitor Attraction Ceiling Mounted, Flying Frame	

EB-L1505UH

WHAT'S IN THE BOX

- Remote control incl. batteries
- Quick Start Guide
- Power and signal cable (3 m)

EPSON[®]

- VGA cable
- Cable cover
- CD Manual

OPTIONAL ACCESSORIES

- Air Filter ELPAF51
 V13H134A51
- 3D Polarizer ELPPL01
- V12H618A01
- Ceiling Mount ELPMB47 Low EB-G7000/L1000 V12H802010
- Ceiling Mount ELPMB48 High EB-G7000/L1000 V12H803010
- HDBaseT Transmitter ELPHD01 V12H547040
- Stacking Frame ELPMB50 L1000 Series (Premium) V12H003B50
- Wireless LAN Adapter ELPAP10
 V12H731P01

OPTIONAL LENSES

- Lens ELPLL08 Long throw G7000/L1000 series V12H004L08
- Lens ELPLM10 Mid throw 3 G7000/L1000 series V12H004M0A
- Lens ELPLM11 Mid throw 4 G7000/L1000 series V12H004M0B
- Lens ELPLM15 Mid Throw L1500/L1700 Series V12H004M0F
- Lens ELPLU03 G7000 & L1000 Series ST off axis 1 V12H004U03
- Lens ELPLU04 G7000 & L1000 Series ST off axis 2 V12H004U04
- Lens ELPLW05 G7000 & L1000 Series wide zoom 1 V12H004W05
- Lens ELPLW06 L1500U/1505U wide zoom 2 V12H004W06
- Lens ELPLX02 UST Lens L1500/1700 Series V12H004X02
- Lens ELPLW08 Wide throw V12H004W08

LOGISTICS INFORMATION

SKU	V11H910140DA V11H910140
EAN code	8715946647005
Country of Origin	China

Trademarks and registered trademarks are the property of Seiko Epson Corporation or their respective owners.

Product information is subject to change without prior notice.

Hotline Telephone: +9714 8872172 Fax: +9714 8818945 E-mail: supportme@epson.co.uk www.epson.ae 1. - Laser life of up to 83,000 hours in custom mode.



EB-L1505UH