

We are a display solutions brand that is in the business of providing an enhanced visual communication experience through displays. We have a brand legacy of over 25 years in office automation and a carved niche in energy-efficient LED lighting products. We set out to create Logic Displays because we believe that displays can be an integral part of everyday life. It connects an individual not only with the world outside, but also with themselves. We aim to connect people by helping them collaborate, communicate, learn and make decisions with our comprehensive solutions.

Imagine  
a whole  
new world  
with displays

Explore this route →



#22,1st floor Nagarabhibridahi Bhavan,17th "F" Cross, Swamy Vivekananda Rd, Near BMTC Bus Depot,  
Indiranagar, Bengaluru, Karnataka 560038  
[www.logicdisplays.in](http://www.logicdisplays.in)





*We're seamlessly  
connecting the world  
through displays*





*A display can change your world!*

We reimagined the possibilities of what displays can achieve, and so we created it. With Logic Displays, you can get end-to-end display solutions that can be used in various environments to create a dynamic and immersive experience. Whether it is in retail & hospitality, homes, education or collaborative workspaces, our displays enable you to engage your audience and inspire them with new ideas.

## Estilo Series

### Experience the future of effective collaboration

The Estilo series by Logic Displays is the only display you will need to step into the future of collaborative workspaces. Its wider viewing angle and clear picture quality that comes with wireless mirroring, video conferencing and interactive writing, will enable you to make every presentation more impressive while you collaborate.



Wider viewing angle



Cinematic viewing angle



Wireless mirroring



Front-accessible



Can be switched on and switched off with one key



Plug and play operation




Interactive writing function

MODEL NAME	ESTILO 110	ESTILO 138	ESTILO 165	ESTILO 220
Application	Indoor	Indoor	Indoor	Indoor
Pixel Pitch (in mm)	1.2	1.5	1.9	2.5
Diagonal Size (in Inches)	110	138	165	220
LED Type	SMD	SMD	SMD	SMD
LED Lifetime (in Hours)	1,00,000	1,00,000	1,00,000	1,00,000
Brightness (cd/m2)	100-600	100-600	100-600	100-600
Contrast Ratio	8000:1	8000:1	8000:1	8000:1
Frame Rate (Hz/sec)	60	60	60	60
Refresh Rate (Hz/sec)	3840	3840	3840	3840
Cabinet Dimension W x H x D (in mm)	610x343x39mm	610x343x39mm	610x343x39mm	610x343x39mm
Module Dimension (in MM)	152 4x171.45	152 4x171.45	152 4x171.45	152 4x171.45
Screen Size (in mm)	2440x1372x40	3050x1715x40	3660x2058x40	4880x2744x40
Resolution	1920x1080	1920x1080	1920x1080	1920x1080
weight (Kg)	140	200	270	450
Service Access	Front	Front	Front	Front
Optimal Viewing Angle (H/V)	160° /160°	160° /160°	160° /160°	160° /160°
Working Temperature	-10 40	-10 40	-10 40	-10 40
Humidity	10%-85%	10%-85%	10%-85%	10%-85%
Voltage	110-240V	110-240V	110-240V	110-240V
Power Consumption (Avg) (in W/m2)	135	120	110	95
Power Consumption (Max) (in W/m2)	540	470	450	380
Heat generation-Max (BTU/m2)	1842.5	1603.7	1535.4	1296.6
MTBF (in hours)	10,000	10,000	10,000	10,000
Protection Level	IP30	IP30	IP30	IP30
Color Gamut	110% NTSC	110% NTSC	110% NTSC	110% NTSC
Operating System	Android(Standard) / Windows (Optional)	Android(Standard) / Windows (Optional)	Android(Standard) / Windows (Optional)	Android(Standard) / Windows (Optional)
Interface Type	USB3.0 / USB2.0 / Type-C / HDMI / 3.5mm TRS	USB3.0 / USB2.0 / Type-C / HDMI / 3.5mm TRS	USB3.0 / USB2.0 / Type-C / HDMI / 3.5mm TRS	USB3.0 / USB2.0 / Type-C / HDMI / 3.5mm TRS
Recommended attendance	About 20-60 people	About 60-80 people	About 80-100 people	About 100-120 people

## Convenient And Efficient Front Disassembly Maintenance

Hot swapping supports replacing modules, battery, system card and repairing without stopping or shutting down the machine to reduce difficulties and costs.



### Estilo Series

Available size: 110", 138", 165", 220" optional;