COMMBOX

Infiniti

The ideal screen for large meeting spaces, the Infiniti has an impressive 110-inch screen and has been made to work seamlessly with Microsoft Teams Rooms and Zoom Rooms.

SPECIFICATIONS	
SKU:	**CBII110**
LCD Size	110"
DISPLAY	
Screen Type	LCD
Glass Type and Thickness	4mm tempered glass - Mohs Level 7
Glass Protection	Anti-glare 28%
Backlight Type	D-LED
Orientation	Landscape
Aspect Ratio	16:9
Resolution (H)/(V)	3840x2160
Android Resolution	4K
View Area (H)/(V)mm	2436.48 x 1370.52
Brightness (cd/m2)	450
Contrast Ratio	1200:1
LCD Refresh Rate (Hz)	60
Viewing Angle (°)	178
Life of Screen (Hrs)	50,000
Response Time	8ms
Display Colours (10bit)	1.07
Colour Gamat	80%
Bezel Colour	Black/Grey

commBOX

Infiniti

The ideal screen for large meeting spaces, the Infiniti has an impressive 110-inch screen and has been made to work seamlessly with Microsoft Teams Rooms and Zoom Rooms.

SPECIFICATIONS	
SKU:	**CBII110**
LCD Size	110"
INTERACTIVITY	
Touch Type	Infrared Recognition
Touch Points	20
Touch Resolution	32767 x 32768
Touch Accuracy	1mm
Response Time	>9ms
Windows with Microsoft Ink Support	Yes - multi-touch
Chromium, Linux	Single-touch
MacOS	Single-touch
Touch Tool	Finger, Passive Stylus, Eraser
Pen Type	2 x Dual Tip Stylus
Pen Tip Diameter	3mm/7mm
Pen & Touch Differentiation	Yes
Pen Holders	Integrated magnetic holders
AUDIO	
Speaker Type	Downward facing
Sound channel	2.1
Speaker (W)	2 x 16W
Subwoofer	16W

CommBOX

Infiniti

The ideal screen for large meeting spaces, the Infiniti has an impressive 110-inch screen and has been made to work seamlessly with Microsoft Teams Rooms and Zoom Rooms.

SPECIFICATIONS	
SKU:	**CBI1110**
LCD Size	110"
MICROPHONE	
Line Array	6
Distance of Pick Up (m)	8
COMPUTE AND CONTROL	
Operating System	Windows via the OPS Slot
System Version	Activated Windows 10 Pro License
RAM - OPS	8GB
ROM - OPS	64GB
ARCHITECTURE - OPS	i7 with Quad Core, 1.8GHz, Intel UHD Graphics
RS232 Control	Yes - Baud rate 9200
IP Control	Yes
Wake on Lan	Yes
Remove Device Management	Yes - CommBox Manage can be installed on the Slot-in-PC
POWER	
Power Requirements	240V
Power Consumption w' OPS	800W
Stand by	<0.5W
CONNECTIVITY	
WIFI	Yes on OPS
Bluetooth	Yes on OPS

COMMBOX

Infiniti

The ideal screen for large meeting spaces, the Infiniti has an impressive 110-inch screen and has been made to work seamlessly with Microsoft Teams Rooms and Zoom Rooms.

SPECIFICATIONS	
SKU:	**CBI110**
LCD Size	110"
INPUT AND OUTPUTS - SCREEN	
Front	
USB-A	2
USB Type-C	1 - Data, 65W charging, Ethernet
USB-B Touch	1
HDMI In	1
Back	
HDMI In	2 x HDMI (2.0)
HDMI Out	1
USB-A 2.0	1
USB-A 3.0	2
USB-B Touch	1
DP In	1
VGA In	1
Audio In	1 - 3.5mm
Audio Out	1
S/PDIF Out	1
RS-232	1
LAN In (RJ45)	1 - 1000MB/sec
LAN Out (RJ45)	1 - 1000MB/sec
OPS Slot	1

CommBOX

Infiniti

The ideal screen for large meeting spaces, the Infiniti has an impressive 110-inch screen and has been made to work seamlessly with Microsoft Teams Rooms and Zoom Rooms.

SPECIFICATIONS	
SKU:	**CBI110**
LCD Size	110"
INPUT AND OUTPUTS - OPS	
USB-A 2.0	1
USB-A 3.0	2
USB-C	2
Headphones + MIC	1
LAN (RJ45 In)	1
HDMI Out	1 (2.0)
WIFI	Yes
Bluetooth	Yes
STRUCTURE	
Housing Material	Aluminium Plate
Product Size (mm)	2507.1 x 1482.1 x 152.9
Package Size (mm)	2800 x 435 x 1550
Net Weight (kg)	134
Gross Weight (kg)	193
VESA (mm)	800 x 1000
Wall-hanging screw spec	M8 x 25mm
ENVIRONMENTAL CONDITIONS (DISPLAY + WIFI MODULE)	
Operation Temperature (°C)	0 - 40
Operation Humidity (RH)	10% - 90%
Altitude (m)	Below 5000

commBOX

Infiniti

The ideal screen for large meeting spaces, the Infiniti has an impressive 110-inch screen and has been made to work seamlessly with Microsoft Teams Rooms and Zoom Rooms.

SPECIFICATIONS

WHAT'S IN THE BOX	
Amount	**Accessories**
2X	AAA Batteries
1X	Remote
2X	Stylus
1X	3M powercord - AU/NZ
1X	3M USB A-B touch cable
1X	3M HDMI cable
1X	CommBox Eraser
1X	Wall Bracket and Mounting Kit
1X	Slot-in-PC i7

COMMBOX EXPERIENCE	
Warranty	5 Year Warranty
Training	Unlimited FREE virtual training for the life of the screen
Support	Same business day help desk support

Click here to...

Request a Quote

*All information and specs contained on this document are correct at time of publication