




Conferencing Made Easy

Ideal for livestreaming, videoconferencing, lecture capture and more, the MiniTrack 4K Pro offers smooth auto-tracking and auto-framing at the touch of a button. Using the included IR remote, users can track or frame subjects, set presets using two available preset keys, or zoom in and out electronically.



30 FPS



USB Power



Auto Tracking



Auto Framing



Compatible

- 108° Field of View Lens
- Built in Beamforming Microphone Array
- Automatically Tracks or Frames Participants
- Adjustable Clamp Mount with 1/4-20 Mounting Insert





What's in the Box:

HC-MT-4KPRO
IR Remote

Quick Start Guide
AAA Batteries

USB 3.0 A-C Cable

Camera & Lens

Optical Lens Video Sensor	1/2.8" UHD CMOS Effective pixels: 8.29
Resolution and Frame Rate	3840x2160, 2560x1440 1920x1080, 1280x720, 1024x576 800x600, 640x480 50Hz: 1 ~ 50, 60Hz: 1 ~ 60
Zoom	8x Digital Zoom
Display Field of View	124°
Vertical Field of View	68°
Horizontal Field of View	108°
Min Lux	0.5 Lux @ (F1.8, AGC ON)
Shutter	1/1s ~ 1/10000s
Presets	255 Presets
Preset Accuracy	0.1°
Image Flip	Supported Horizontal & Vertical
Image Mirror	Supported
Image Freeze	Not Supported

Compression	MJPEG, YUY2, H.264,
-------------	---------------------

Physical Specifications

Material	Aluminum, Plastic
Color	Black
Dimensions (L x W x H)	2.74" L x 4.65" W x 2.13" H 69.5mm L x 118mm W x 54.1mm H
Weight	0.35 lbs 0.16 kg
Working Environment	Indoor
Humidity Range	10% - 80%
Operating Temperature	32°F ~ 104°F (0°C ~ 40°C)
Storage Temperature	-4°F ~ 140°F (-20°C ~ 60°C)

Connections

HD Video Output	USB 3.0
Protocols	UVC Version 1.1
IR	4x IR Addresses, Max distance 30ft / 9m
Power Supply	5V USB Power

NDAA Compliant